

Schema **sepa.hr.pain.001.001.03.xsd**

schema location: [..\sepa.hr.pain.001.001.03.xsd](#)
attributeFormDefault:
elementFormDefault: **qualified**
targetNamespace: **urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03**

Elements	Complex types	Simple types
Document	AccountIdentification4Choice 2	ActiveOrHistoricCurrencyAndAmount SimpleType
	AccountIdentification4Choice HR	ActiveOrHistoricCurrencyCode
	ActiveOrHistoricCurrencyAndAmount	AnyBICIdentifier
	AmountType3Choice	BatchBookingIndicator
	BranchAndFinancialInstitutionIdentification4 1	BICIdentifier
	BranchAndFinancialInstitutionIdentification4 2	ChargeBearerType1Code
	CashAccount16 2	CountryCode
	CashAccount16 HR	DecimalNumber
	CategoryPurpose1Choice	DocumentType3Code
	ClearingSystemMemberIdentification2	ExternalCategoryPurpose1Code
	CreditorReferenceInformation2	ExternalLocalInstrument1Code
	CreditorReferenceType1Choice	ExternalOrganisationIdentification1Code
	CreditorReferenceType2	ExternalPersonIdentification1Code
	CreditTransferTransactionInformation10	ExternalPurpose1Code
	CustomerCreditTransferInitiationV03	ExternalServiceLevel1Code
	DateAndPlaceOfBirth	IBAN2007Identifier
	Document	IBAN2007Identifier HR
	FinancialInstitutionIdentification7 1	ISODate
	FinancialInstitutionIdentification7 2	ISODateTime
	GenericAccountIdentification1	Max140Text
	GenericFinancialIdentification1	Max15NumericText
	GenericOrganisationIdentification1	Max34Text
	GenericPersonIdentification1	Max35Text
	GroupHeader32	Max35Text Id
	LocalInstrument2Choice	Max35Text NP
	OrganisationIdentification4	Max70Text
	OrganisationIdentificationSchemeName1Choice	PaymentMethod3Code
	Party6Choice	Priority2Code
	PartyIdentification32 1	
	PartyIdentification32 2	
	PaymentIdentification1	
	PaymentInstructionInformation3	
	PaymentTypeInformation19 1	
	PaymentTypeInformation19 2	
	PersonIdentification5	
	PersonIdentificationSchemeName1Choice	
	PostalAddress6	
	Purpose2Choice	

[RemittanceInformation5](#)
[ServiceLevel8Choice](#)
[StructuredRemittanceInformation7](#)

element **Document**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Document
properties	content complex
children	CstmrCdtTrfInittn
source	<code><xs:element name="Document" type="Document"/></code>

complexType **AccountIdentification4Choice_2**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	IBAN Othr
used by	element CashAccount16_2/Id
source	<pre> <xs:complexType name="AccountIdentification4Choice_2"> <xs:sequence> <xs:choice> <xs:element name="IBAN" type="IBAN2007Identifier"/> <xs:element name="Othr" type="GenericAccountIdentification1"/> </xs:choice> </xs:sequence> </xs:complexType> </pre>

element **AccountIdentification4Choice_2/IBAN**

diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	IBAN2007Identifier				
properties	content simple				
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>pattern</td> <td>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}</td> </tr> </table>	Kind	Value	pattern	[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}
Kind	Value				
pattern	[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}				

source	<code><xs:element name="IBAN" type="IBAN2007Identifier"/></code>
--------	--

element AccountIdentification4Choice_2/Othr

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	GenericAccountIdentification1
properties	content complex
children	Id
source	<code><xs:element name="Othr" type="GenericAccountIdentification1"/></code>


complexType AccountIdentification4Choice_HR

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	IBAN
used by	element CashAccount16_HR/Id
source	<pre> <xs:complexType name="AccountIdentification4Choice_HR"> <xs:sequence> <xs:element name="IBAN" type="IBAN2007Identifier_HR"/> </xs:sequence> </xs:complexType> </pre>

element AccountIdentification4Choice_HR/IBAN

diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	IBAN2007Identifier_HR				
properties	content simple				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[H][R][0-9]{19}</td> </tr> </tbody> </table>	Kind	Value	pattern	[H][R][0-9]{19}
Kind	Value				
pattern	[H][R][0-9]{19}				
source	<code><xs:element name="IBAN" type="IBAN2007Identifier_HR"/></code>				


complexType **ActiveOrHistoricCurrencyAndAmount**

diagram											
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03										
type	extension of ActiveOrHistoricCurrencyAndAmount SimpleType										
properties	base ActiveOrHistoricCurrencyAndAmount SimpleType										
used by	element AmountType3Choice/InstdAmt										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.01</td> </tr> <tr> <td>maxInclusive</td> <td>999999999999.99</td> </tr> <tr> <td>totalDigits</td> <td>14</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0.01	maxInclusive	999999999999.99	totalDigits	14	fractionDigits	2
Kind	Value										
minInclusive	0.01										
maxInclusive	999999999999.99										
totalDigits	14										
fractionDigits	2										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> </tr> </thead> <tbody> <tr> <td>Ccy</td> <td>ActiveOrHistoricCurrencyCode</td> <td>required</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Ccy	ActiveOrHistoricCurrencyCode	required		
Name	Type	Use	Default	Fixed							
Ccy	ActiveOrHistoricCurrencyCode	required									
source	<pre><xs:complexType name="ActiveOrHistoricCurrencyAndAmount"> <xs:simpleContent> <xs:extension base="ActiveOrHistoricCurrencyAndAmount SimpleType"> <xs:attribute name="Ccy" type="ActiveOrHistoricCurrencyCode" use="required"/> </xs:extension> </xs:simpleContent> </xs:complexType></pre>										

attribute **ActiveOrHistoricCurrencyAndAmount/@Ccy**

type	ActiveOrHistoricCurrencyCode				
properties	use required				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[A-Z]{3,3}</td> </tr> </tbody> </table>	Kind	Value	pattern	[A-Z]{3,3}
Kind	Value				
pattern	[A-Z]{3,3}				
source	<pre><xs:attribute name="Ccy" type="ActiveOrHistoricCurrencyCode" use="required"/></pre>				

complexType **AmountType3Choice**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	InstdAmt
used by	element CreditTransferTransactionInformation10/Amt
source	<pre><xs:complexType name="AmountType3Choice"> <xs:sequence> <xs:element name="InstdAmt" type="ActiveOrHistoricCurrencyAndAmount"/> </xs:sequence> </xs:complexType></pre>

element **AmountType3Choice/InstdAmt**

diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	ActiveOrHistoricCurrencyAndAmount				
properties	content complex				
facets	Kind	Value			
	minInclusive	0.01			
	maxInclusive	999999999999.99			
	totalDigits	14			
	fractionDigits	2			
attributes	Name	Type	Use	Default	Fixed
	Ccy	ActiveOrHistoricCurrencyCode	required		
source	<pre><xs:element name="InstdAmt" type="ActiveOrHistoricCurrencyAndAmount"/></pre>				

complexType **BranchAndFinancialInstitutionIdentification4_1**


diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
children	FinInstnId				
used by	element	PaymentInstructionInformation3/DbtrAgt			
source	<pre><xs:complexType name="BranchAndFinancialInstitutionIdentification4_1"> <xs:sequence> <xs:element name="FinInstnId" type="FinancialInstitutionIdentification7_1"/> </xs:sequence> </xs:complexType></pre>				

element **BranchAndFinancialInstitutionIdentification4_1/FinInstnId**


diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	FinancialInstitutionIdentification7_1				
properties	content complex				

children	BIC Othr
source	<code><xs:element name="FinInstnId" type="FinancialInstitutionIdentification7_1"/></code>


complexType **BranchAndFinancialInstitutionIdentification4_2**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	FinInstnId
used by	element CreditTransferTransactionInformation10/CdtrAgt
source	<code><xs:complexType name="BranchAndFinancialInstitutionIdentification4_2"> <xs:sequence> <xs:element name="FinInstnId" type="FinancialInstitutionIdentification7_2"/> </xs:sequence> </xs:complexType></code>

element **BranchAndFinancialInstitutionIdentification4_2/FinInstnId**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	FinancialInstitutionIdentification7_2
properties	content complex
children	BIC ClrSysMmbld Nm PstAdr
source	<code><xs:element name="FinInstnId" type="FinancialInstitutionIdentification7_2"/></code>

complexType **CashAccount16_2**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Id
used by	element CreditTransferTransactionInformation10/CdtrAcct
source	<code><xs:complexType name="CashAccount16_2"></code>

	<pre> <xs:sequence> <xs:element name="Id" type="AccountIdentification4Choice_2"/> </xs:sequence> </xs:complexType> </pre>
--	---

element CashAccount16_2/Id

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	AccountIdentification4Choice_2
properties	content complex
children	IBAN Othr
source	<pre><xs:element name="Id" type="AccountIdentification4Choice_2"/></pre>

complexType CashAccount16_HR


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Id Ccy
used by	element PaymentInstructionInformation3/DbtrAcct
source	<pre> <xs:complexType name="CashAccount16_HR"> <xs:sequence> <xs:element name="Id" type="AccountIdentification4Choice_HR"/> <xs:element name="Ccy" type="ActiveOrHistoricCurrencyCode" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType> </pre>

element CashAccount16_HR/Id


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03

type	AccountIdentification4Choice HR
properties	content complex
children	IBAN
source	<code><xs:element name="Id" type="AccountIdentification4Choice_HR"/></code>


element **CashAccount16_HR/Ccy**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ActiveOrHistoricCurrencyCode
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value pattern [A-Z]{3,3}
source	<code><xs:element name="Ccy" type="ActiveOrHistoricCurrencyCode" minOccurs="0" maxOccurs="1"/></code>


complexType **CategoryPurpose1Choice**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Cd
used by	elements PaymentTypeInformation19_1/CtgyPurp PaymentTypeInformation19_2/CtgyPurp
source	<code><xs:complexType name="CategoryPurpose1Choice"> <xs:sequence> <xs:element name="Cd" type="ExternalCategoryPurpose1Code"/> </xs:sequence> </xs:complexType></code>


element **CategoryPurpose1Choice/Cd**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ExternalCategoryPurpose1Code
properties	content simple
facets	Kind Value minLength 1 maxLength 4 pattern \S+.*
source	<code><xs:element name="Cd" type="ExternalCategoryPurpose1Code"/></code>


complexType ClearingSystemMemberIdentification2

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Mmbld
used by	element FinancialInstitutionIdentification7_2/ClrSysMmbld
source	<pre><xs:complexType name="ClearingSystemMemberIdentification2"> <xs:sequence> <xs:element name="Mmbld" type="Max35Text"/> </xs:sequence> </xs:complexType></pre>


element ClearingSystemMemberIdentification2/Mmbld

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<pre><xs:element name="Mmbld" type="Max35Text"/></pre>								


complexType CreditorReferenceInformation2

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Tp Ref
used by	element StructuredRemittanceInformation7/CdtrRefInf
source	<pre><xs:complexType name="CreditorReferenceInformation2"> <xs:sequence> <xs:element name="Tp" type="CreditorReferenceType2" minOccurs="1" maxOccurs="1"/> <xs:element name="Ref" type="Max35Text" minOccurs="1" maxOccurs="1"/> </xs:sequence> </xs:complexType></pre>


element CreditorReferenceInformation2/Tp

diagram	 <p>The diagram shows a sequence of elements: 'Tp' followed by a sequence container (represented by a rounded rectangle with three dots) containing 'CdOrPrtry' and 'Issr'. The 'Issr' element is shown with a dashed border, indicating it is optional. The entire structure is enclosed in a dashed yellow box labeled 'CreditorReferenceType2'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CreditorReferenceType2
properties	content complex
children	CdOrPrtry Issr
source	<code><xs:element name="Tp" type="CreditorReferenceType2" minOccurs="1" maxOccurs="1"/></code>

element CreditorReferenceInformation2/Ref

diagram	 <p>The diagram shows a single rectangular box labeled 'Ref'.</p>								
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<code><xs:element name="Ref" type="Max35Text" minOccurs="1" maxOccurs="1"/></code>								

complexType CreditorReferenceType1Choice


diagram	 <p>The diagram shows a sequence of elements: 'CreditorReferenceType1Choice' followed by a sequence container (represented by a rounded rectangle with three dots) containing 'Cd'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Cd
used by	element CreditorReferenceType2/CdOrPrtry
source	<pre> <xs:complexType name="CreditorReferenceType1Choice"> <xs:sequence> <xs:element name="Cd" type="DocumentType3Code"/> </xs:sequence> </xs:complexType> </pre>

element CreditorReferenceType1Choice/Cd


diagram	 <p>The diagram shows a single rectangular box labeled 'Cd'.</p>
---------	---

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	DocumentType3Code
properties	content simple
facets	Kind Value enumeration SCOR
source	<code><xs:element name="Cd" type="DocumentType3Code"/></code>


complexType CreditorReferenceType2

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	CdOrPrtry Issr
used by	element CreditorReferenceInformation2/Tp
source	<pre><xs:complexType name="CreditorReferenceType2"> <xs:sequence> <xs:element name="CdOrPrtry" type="CreditorReferenceType1Choice"/> <xs:element name="Issr" type="Max35Text" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></pre>

element CreditorReferenceType2/CdOrPrtry

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CreditorReferenceType1Choice
properties	content complex
children	Cd
source	<code><xs:element name="CdOrPrtry" type="CreditorReferenceType1Choice"/></code>

element CreditorReferenceType2/Issr


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max35Text
properties	minOcc 0 maxOcc 1

	content	simple
facets	Kind	Value
	minLength	1
	maxLength	35
	pattern	\S+.*
source	<xs:element name="Issr" type="Max35Text" minOccurs="0" maxOccurs="1"/>	


complexType CreditTransferTransactionInformation10

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	PmtId PmtTplnf Amt ChrgBr UltmtDbtr CdtrAgt Cdtr CdtrAcct UltmtCdtr Purp Rmtlnf
used by	element PaymentInstructionInformation3/CdtTrfTxInf
source	<pre> <xs:complexType name="CreditTransferTransactionInformation10"> <xs:sequence> <xs:element name="PmtId" type="PaymentIdentification1"/> <xs:element name="PmtTplnf" type="PaymentTypeInformation19_2" minOccurs="0" maxOccurs="1"/> <xs:element name="Amt" type="AmountType3Choice"/> <xs:element name="ChrgBr" type="ChargeBearerType1Code" minOccurs="0" maxOccurs="1"/> <xs:element name="UltmtDbtr" type="PartyIdentification32_1" minOccurs="0" maxOccurs="1"/> <xs:element name="CdtrAgt" type="BranchAndFinancialInstitutionIdentification4_2" minOccurs="0" maxOccurs="1"/> <xs:element name="Cdtr" type="PartyIdentification32_2" minOccurs="1" maxOccurs="1"/> <xs:element name="CdtrAcct" type="CashAccount16_2" minOccurs="1" maxOccurs="1"/> <xs:element name="UltmtCdtr" type="PartyIdentification32_1" minOccurs="0" maxOccurs="1"/> <xs:element name="Purp" type="Purpose2Choice" minOccurs="0" maxOccurs="1"/> <xs:element name="Rmtlnf" type="RemittanceInformation5" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType> </pre>


element **CreditTransferTransactionInformation10/PmtId**

diagram	 <p>The diagram shows a box labeled 'PaymentIdentification1' containing a sequence of elements: 'PmtId', a connector box with three dots, and a choice box containing 'InstrId' and 'EndToEndId'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PaymentIdentification1
properties	content complex
children	InstrId EndToEndId
source	<code><xs:element name="PmtId" type="PaymentIdentification1"/></code>

element **CreditTransferTransactionInformation10/PmtTplnf**


diagram	 <p>The diagram shows a box labeled 'PaymentTypeInformation19_2' containing a sequence of elements: 'PmtTplnf', a connector box with three dots, and a choice box containing 'SvcLvl', 'LclInstrm', and 'CtgyPurp'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PaymentTypeInformation19_2
properties	minOcc 0 maxOcc 1 content complex
children	SvcLvl LclInstrm CtgyPurp
source	<code><xs:element name="PmtTplnf" type="PaymentTypeInformation19_2" minOccurs="0" maxOccurs="1"/></code>

element **CreditTransferTransactionInformation10/Amt**


diagram	 <p>The diagram shows a box labeled 'AmountType3Choice' containing a sequence of elements: 'Amt', a connector box with three dots, and 'InstdAmt'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	AmountType3Choice
properties	content complex

children	InstdAmt
source	<code><xs:element name="Amt" type="AmountType3Choice"/></code>


element CreditTransferTransactionInformation10/ChrgBr

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ChargeBearerType1Code
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value enumeration DEBT enumeration CRED enumeration SHAR enumeration SLEV
source	<code><xs:element name="ChrgBr" type="ChargeBearerType1Code" minOccurs="0" maxOccurs="1"/></code>

element CreditTransferTransactionInformation10/UltmtDbtr


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PartyIdentification32_1
properties	minOcc 0 maxOcc 1 content complex
children	Nm Id
source	<code><xs:element name="UltmtDbtr" type="PartyIdentification32_1" minOccurs="0" maxOccurs="1"/></code>

element CreditTransferTransactionInformation10/CdtrAgt


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	BranchAndFinancialInstitutionIdentification4_2
properties	minOcc 0 maxOcc 1 content complex

children	FinInstnId
source	<code><xs:element name="CdtrAgt" type="BranchAndFinancialInstitutionIdentification4_2" minOccurs="0" maxOccurs="1"/></code>


element CreditTransferTransactionInformation10/Cdtr

diagram	 <p>The diagram shows a box labeled 'PartyIdentification32_2' containing a 'Cdtr' box connected to a dashed box containing 'Nm', 'PstlAdr', and 'Id' boxes. The 'Cdtr' box has a small square icon on its right side. The dashed box has a dashed border and a small square icon on its right side. The 'Nm', 'PstlAdr', and 'Id' boxes each have a small square icon on their right side.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PartyIdentification32_2
properties	content complex
children	Nm PstlAdr Id
source	<code><xs:element name="Cdtr" type="PartyIdentification32_2" minOccurs="1" maxOccurs="1"/></code>

element CreditTransferTransactionInformation10/CdtrAcct


diagram	 <p>The diagram shows a box labeled 'CashAccount16_2' containing a 'CdtrAcct' box connected to an 'Id' box. The 'CdtrAcct' box has a small square icon on its right side. The 'Id' box has a small square icon on its right side.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CashAccount16_2
properties	content complex
children	Id
source	<code><xs:element name="CdtrAcct" type="CashAccount16_2" minOccurs="1" maxOccurs="1"/></code>

element CreditTransferTransactionInformation10/UltmtCdtr


diagram	 <p>The diagram shows a box labeled 'PartyIdentification32_1' containing a dashed box labeled 'UltmtCdtr' connected to a dashed box containing 'Nm' and 'Id' boxes. The 'UltmtCdtr' box has a dashed border and a small square icon on its right side. The dashed box has a dashed border and a small square icon on its right side. The 'Nm' and 'Id' boxes each have a small square icon on their right side.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03

type	PartyIdentification32_1
properties	minOcc 0 maxOcc 1 content complex
children	Nm Id
source	<code><xs:element name="UltmtCdtr" type="PartyIdentification32_1" minOccurs="0" maxOccurs="1"/></code>


element CreditTransferTransactionInformation10/Purp

diagram	 <p>The diagram shows a dashed box labeled 'Purp' connected to a solid box labeled 'Cd'. The 'Purp' box is connected to a central octagonal connector, which is then connected to the 'Cd' box. A yellow dashed box labeled 'Purpose2Choice' encloses the 'Cd' box and the connector.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Purpose2Choice
properties	minOcc 0 maxOcc 1 content complex
children	Cd
source	<code><xs:element name="Purp" type="Purpose2Choice" minOccurs="0" maxOccurs="1"/></code>

element CreditTransferTransactionInformation10/RmtInf

diagram	 <p>The diagram shows a dashed box labeled 'RmtInf' connected to a central octagonal connector. This connector is connected to two dashed boxes labeled 'Ustrd' and 'Strd'. A yellow dashed box labeled 'RemittanceInformation5' encloses the 'Ustrd' and 'Strd' boxes and the connector.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	RemittanceInformation5
properties	minOcc 0 maxOcc 1 content complex
children	Ustrd Strd
source	<code><xs:element name="RmtInf" type="RemittanceInformation5" minOccurs="0" maxOccurs="1"/></code>

complexType CustomerCreditTransferInitiationV03

diagram	 <p>The diagram shows a box labeled 'CustomerCreditTransferInitiationV03' connected to a central octagonal connector. This connector is connected to two boxes labeled 'GrpHdr' and 'PmtInf'. The 'PmtInf' box has a '1..∞' cardinality indicator below it.</p>
---------	---

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	GrpHdr PmtInf
used by	element Document/CstmrCdtTrfInitt
source	<pre> <xs:complexType name="CustomerCreditTransferInitiationV03"> <xs:sequence> <xs:element name="GrpHdr" type="GroupHeader32"/> <xs:element name="PmtInf" type="PaymentInstructionInformation3" minOccurs="1" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </pre>

element **CustomerCreditTransferInitiationV03/GrpHdr**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	GroupHeader32
properties	content complex
children	MsgId CrdDtTm NbOfTxs CtrlSum InitgPty
source	<pre> <xs:element name="GrpHdr" type="GroupHeader32"/> </pre>

element **CustomerCreditTransferInitiationV03/PmtInf**

<p>diagram</p>	<p>The diagram illustrates the structure of the PaymentInstructionInformation3 complex type. It is contained within a PmtInf element, which has a multiplicity of 1..∞. The complex type itself is highlighted in a yellow dashed box and contains the following elements in sequence:</p> <ul style="list-style-type: none"> PmtInfd (required) PmtMtd (required) BtchBookg (optional) NbOfTx (optional) CtrlSum (optional) PmtTplnf (optional, indicated by a '+' icon) ReqdExctnDt (required) Dbtr (optional, indicated by a '+' icon) DbtrAcct (optional, indicated by a '+' icon) DbtrAgt (optional, indicated by a '+' icon) UltmtDbtr (optional, indicated by a '+' icon) ChrgBr (optional) CdtTrfTxlnf (optional, multiplicity 1..∞, indicated by a '+' icon)
<p>namespace</p>	<p>urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03</p>
<p>type</p>	<p>PaymentInstructionInformation3</p>
<p>properties</p>	<p>minOcc 1 maxOcc unbounded content complex</p>
<p>children</p>	<p>PmtInfd PmtMtd BtchBookg NbOfTx CtrlSum PmtTplnf ReqdExctnDt Dbtr DbtrAcct DbtrAgt UltmtDbtr ChrgBr CdtTrfTxlnf</p>
<p>source</p>	<pre><xs:element name="PmtInf" type="PaymentInstructionInformation3" minOccurs="1" maxOccurs="unbounded"/></pre>

complexType DateAndPlaceOfBirth

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	BirthDt PrvcOfBirth CityOfBirth CtryOfBirth
used by	element PersonIdentification5/DtAndPlcOfBirth
source	<pre><xs:complexType name="DateAndPlaceOfBirth"> <xs:sequence> <xs:element name="BirthDt" type="ISODate"/> <xs:element name="PrvcOfBirth" type="Max35Text" minOccurs="0" maxOccurs="1"/> <xs:element name="CityOfBirth" type="Max35Text"/> <xs:element name="CtryOfBirth" type="CountryCode"/> </xs:sequence> </xs:complexType></pre>


element DateAndPlaceOfBirth/BirthDt

diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	ISODate				
properties	content simple				
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>pattern</td> <td>[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}</td> </tr> </table>	Kind	Value	pattern	[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}
Kind	Value				
pattern	[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}				
source	<pre><xs:element name="BirthDt" type="ISODate"/></pre>				


element DateAndPlaceOfBirth/PrvcOfBirth

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	<table border="0"> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple		
minOcc	0								
maxOcc	1								
content	simple								
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<pre><xs:element name="PrvcOfBirth" type="Max35Text" minOccurs="0" maxOccurs="1"/></pre>								


element DateAndPlaceOfBirth/CityOfBirth

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<code><xs:element name="CityOfBirth" type="Max35Text"/></code>								

element DateAndPlaceOfBirth/CtryOfBirth

diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	CountryCode				
properties	content simple				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[A-Z]{2,2}</td> </tr> </tbody> </table>	Kind	Value	pattern	[A-Z]{2,2}
Kind	Value				
pattern	[A-Z]{2,2}				
source	<code><xs:element name="CtryOfBirth" type="CountryCode"/></code>				

complexType Document

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	CstmrCdtTrfInittn
used by	element Document
source	<code><xs:complexType name="Document"> <xs:sequence> <xs:element name="CstmrCdtTrfInittn" type="CustomerCreditTransferInitiationV03"/> </xs:sequence> </xs:complexType></code>

element **Document/CstmrCdtTrfInittn**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CustomerCreditTransferInitiationV03
properties	content complex
children	GrpHdr PmtInf
source	<code><xs:element name="CstmrCdtTrfInittn" type="CustomerCreditTransferInitiationV03"/></code>


complexType **FinancialInstitutionIdentification7_1**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	BIC Othr
used by	element BranchAndFinancialInstitutionIdentification4 1/FinInstnId
source	<pre> <xs:complexType name="FinancialInstitutionIdentification7_1"> <xs:choice> <xs:element name="BIC" type="BICIdentifier" minOccurs="0" maxOccurs="1"/> <xs:element name="Othr" type="GenericFinancialIdentification1" minOccurs="0" maxOccurs="1"/> </xs:choice> </xs:complexType> </pre>


element **FinancialInstitutionIdentification7_1/BIC**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	BICIdentifier
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value pattern [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3})(0,1)
source	<code><xs:element name="BIC" type="BICIdentifier" minOccurs="0" maxOccurs="1"/></code>


element **FinancialInstitutionIdentification7_1/Othr**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	GenericFinancialIdentification1
properties	minOcc 0 maxOcc 1 content complex
children	Id
source	<code><xs:element name="Othr" type="GenericFinancialIdentification1" minOccurs="0" maxOccurs="1"/></code>

complexType **FinancialInstitutionIdentification7_2**


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	BIC ClrSysMmbld Nm PstIAdr
used by	element BranchAndFinancialInstitutionIdentification4_2/FinInstnId
source	<code><xs:complexType name="FinancialInstitutionIdentification7_2"> <xs:sequence> <xs:element name="BIC" type="BICIdentifier" minOccurs="0" maxOccurs="1"/> <xs:element name="ClrSysMmbld" type="ClearingSystemMemberIdentification2" minOccurs="0" maxOccurs="1"/> <xs:element name="Nm" type="Max140Text" minOccurs="0" maxOccurs="1"/> <xs:element name="PstIAdr" type="PostalAddress6" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></code>

element **FinancialInstitutionIdentification7_2/BIC**


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	BICIdentifier
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value pattern <code>[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}</code>

source	<code><xs:element name="BIC" type="BICIdentifier" minOccurs="0" maxOccurs="1"/></code>
--------	--


element FinancialInstitutionIdentification7_2/ClrSysMmbld

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ClearingSystemMemberIdentification2
properties	minOcc 0 maxOcc 1 content complex
children	Mmbld
source	<code><xs:element name="ClrSysMmbld" type="ClearingSystemMemberIdentification2" minOccurs="0" maxOccurs="1"/></code>

element FinancialInstitutionIdentification7_2/Nm

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max140Text
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value minLength 1 maxLength 140 pattern \S+.*
source	<code><xs:element name="Nm" type="Max140Text" minOccurs="0" maxOccurs="1"/></code>

element FinancialInstitutionIdentification7_2/PstlAdr

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PostalAddress6
properties	minOcc 0 maxOcc 1 content complex

children	Ctry AdrLine
source	<code><xs:element name="PstlAdr" type="PostalAddress6" minOccurs="0" maxOccurs="1"/></code>

complexType **GenericAccountIdentification1**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Id
used by	element AccountIdentification4Choice 2/Othr
source	<code><xs:complexType name="GenericAccountIdentification1"> <xs:sequence> <xs:element name="Id" type="Max34Text"/> </xs:sequence> </xs:complexType></code>


element **GenericAccountIdentification1/Id**

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max34Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>34</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	34	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	34								
pattern	\S+.*								
source	<code><xs:element name="Id" type="Max34Text"/></code>								


complexType **GenericFinancialIdentification1**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Id
used by	element FinancialInstitutionIdentification7 1/Othr
source	<code><xs:complexType name="GenericFinancialIdentification1"> <xs:sequence> <xs:element name="Id" type="Max35Text_NP"/> </xs:sequence> </xs:complexType></code>


element **GenericFinancialIdentification1/Id**

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text_NP								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>enumeration</td> <td>NOTPROVIDED</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	enumeration	NOTPROVIDED
Kind	Value								
minLength	1								
maxLength	35								
enumeration	NOTPROVIDED								
source	<code><xs:element name="Id" type="Max35Text_NP"/></code>								

complexType **GenericOrganisationIdentification1**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Id SchmeNm Issr
used by	element OrganisationIdentification4/Othr
source	<pre> <xs:complexType name="GenericOrganisationIdentification1"> <xs:sequence> <xs:element name="Id" type="Max35Text"/> <xs:element name="SchmeNm" type="OrganisationIdentificationSchemeName1Choice" minOccurs="0" maxOccurs="1"/> <xs:element name="Issr" type="Max35Text" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType> </pre>

element **GenericOrganisationIdentification1/Id**

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<code><xs:element name="Id" type="Max35Text"/></code>								

element **GenericOrganisationIdentification1/SchmeNm**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	OrganisationIdentificationSchemeName1Choice
properties	minOcc 0 maxOcc 1 content complex
children	Cd Prtry
source	<code><xs:element name="SchmeNm" type="OrganisationIdentificationSchemeName1Choice" minOccurs="0" maxOccurs="1"/></code>

element **GenericOrganisationIdentification1/Issr**


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max35Text
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value minLength 1 maxLength 35 pattern \S+.*
source	<code><xs:element name="Issr" type="Max35Text" minOccurs="0" maxOccurs="1"/></code>

complexType **GenericPersonIdentification1**


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Id SchmeNm Issr
used by	element PersonIdentification5/Othr
source	<code><xs:complexType name="GenericPersonIdentification1"> <xs:sequence> <xs:element name="Id" type="Max35Text"/> <xs:element name="SchmeNm" type="PersonIdentificationSchemeName1Choice" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></code>

	<pre><xs:element name="Issr" type="Max35Text" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></pre>
--	--


element GenericPersonIdentification1/Id

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<pre><xs:element name="Id" type="Max35Text"/></pre>								

element GenericPersonIdentification1/SchmeNm

diagram							
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03						
type	PersonIdentificationSchemeName1Choice						
properties	<table border="1"> <tbody> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>complex</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	Cd Prtry						
source	<pre><xs:element name="SchmeNm" type="PersonIdentificationSchemeName1Choice" minOccurs="0" maxOccurs="1"/></pre>						

element GenericPersonIdentification1/Issr

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	<table border="1"> <tbody> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple		
minOcc	0								
maxOcc	1								
content	simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								

source	<code><xs:element name="Issr" type="Max35Text" minOccurs="0" maxOccurs="1"/></code>
--------	---

complexType GroupHeader32

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	MsgId CreDtTm NbOfTxs CtrlSum InitgPty
used by	element CustomerCreditTransferInitiationV03/GrpHdr
source	<pre> <xs:complexType name="GroupHeader32"> <xs:sequence> <xs:element name="MsgId" type="Max35Text_Id"/> <xs:element name="CreDtTm" type="ISODatetime"/> <xs:element name="NbOfTxs" type="Max15NumericText"/> <xs:element name="CtrlSum" type="DecimalNumber" minOccurs="0" maxOccurs="1"/> <xs:element name="InitgPty" type="PartyIdentification32_1"/> </xs:sequence> </xs:complexType> </pre>

element GroupHeader32/MsgId


diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	Max35Text_Id				
properties	content simple				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>(([A-Za-z0-9] [\? \- \: \(\) \.\, !]){1,35})</td> </tr> </tbody> </table>	Kind	Value	pattern	(([A-Za-z0-9] [\? \- \: \(\) \.\, !]){1,35})
Kind	Value				
pattern	(([A-Za-z0-9] [\? \- \: \(\) \.\, !]){1,35})				
source	<code><xs:element name="MsgId" type="Max35Text_Id"/></code>				

element GroupHeader32/CreDtTm


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ISODatetime
properties	content simple

facets	Kind Value pattern [0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}[T][0-9]{2,2}:[0-9]{2,2}:[0-9]{2,2}\S*
source	<xs:element name="CreDtTm" type="ISODatetime"/>


element GroupHeader32/NbOfTxs

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max15NumericText
properties	content simple
facets	Kind Value pattern [0-9]{1,15}
source	<xs:element name="NbOfTxs" type="Max15NumericText"/>


element GroupHeader32/CtrlSum

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	DecimalNumber
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value minInclusive 0.01 maxInclusive 9999999999999999.99 totalDigits 18 fractionDigits 2
source	<xs:element name="CtrlSum" type="DecimalNumber" minOccurs="0" maxOccurs="1"/>


element GroupHeader32/InitgPty

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PartyIdentification32_1
properties	content complex
children	Nm Id
source	<xs:element name="InitgPty" type="PartyIdentification32_1"/>


complexType LocalInstrument2Choice

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Cd Prtry
used by	elements PaymentTypeInformation19_1/LclInstrm PaymentTypeInformation19_2/LclInstrm
source	<pre><xs:complexType name="LocalInstrument2Choice"> <xs:choice> <xs:element name="Cd" type="ExternalLocalInstrument1Code"/> <xs:element name="Prtry" type="Max35Text"/> </xs:choice> </xs:complexType></pre>


element LocalInstrument2Choice/Cd

diagram							
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03						
type	ExternalLocalInstrument1Code						
properties	content simple						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35
Kind	Value						
minLength	1						
maxLength	35						
source	<pre><xs:element name="Cd" type="ExternalLocalInstrument1Code"/></pre>						


element LocalInstrument2Choice/Prtry

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<pre><xs:element name="Prtry" type="Max35Text"/></pre>								


complexType OrganisationIdentification4

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	BICOrBEI Othr
used by	element Party6Choice/Orqld
source	<pre><xs:complexType name="OrganisationIdentification4"> <xs:choice> <xs:element name="BICOrBEI" type="AnyBICIdentifier" minOccurs="0" maxOccurs="1"/> <xs:element name="Othr" type="GenericOrganisationIdentification1" minOccurs="0" maxOccurs="1"/> </xs:choice> </xs:complexType></pre>

element OrganisationIdentification4/BICOrBEI


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	AnyBICIdentifier
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value pattern [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}
source	<pre><xs:element name="BICOrBEI" type="AnyBICIdentifier" minOccurs="0" maxOccurs="1"/></pre>

element OrganisationIdentification4/Othr


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	GenericOrganisationIdentification1
properties	minOcc 0 maxOcc 1 content complex
children	Id SchmeNm Issr
source	<pre><xs:element name="Othr" type="GenericOrganisationIdentification1" minOccurs="0" maxOccurs="1"/></pre>

	<code>maxOccurs="1"/></code>
--	---------------------------------


complexType **OrganisationIdentificationSchemeName1Choice**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Cd Prtry
used by	element GenericOrganisationIdentification1/SchmeNm
source	<pre><xs:complexType name="OrganisationIdentificationSchemeName1Choice"> <xs:choice> <xs:element name="Cd" type="ExternalOrganisationIdentification1Code"/> <xs:element name="Prtry" type="Max35Text"/> </xs:choice> </xs:complexType></pre>

element **OrganisationIdentificationSchemeName1Choice/Cd**

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	ExternalOrganisationIdentification1Code								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	4								
pattern	\S+.*								
source	<pre><xs:element name="Cd" type="ExternalOrganisationIdentification1Code"/></pre>								

element **OrganisationIdentificationSchemeName1Choice/Prtry**

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<pre><xs:element name="Prtry" type="Max35Text"/></pre>								

complexType Party6Choice

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	OrgId PrvtId
used by	elements PartyIdentification32 2/lid PartyIdentification32 1/lid
source	<pre><xs:complexType name="Party6Choice"> <xs:choice> <xs:element name="OrgId" type="OrganisationIdentification4"/> <xs:element name="PrvtId" type="PersonIdentification5"/> </xs:choice> </xs:complexType></pre>

element Party6Choice/OrgId

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	OrganisationIdentification4
properties	content complex
children	BICOrBEI Othr
source	<pre><xs:element name="OrgId" type="OrganisationIdentification4"/></pre>

element Party6Choice/PrvtId

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PersonIdentification5
properties	content complex
children	DtAndPlcOfBirth Othr
source	<pre><xs:element name="PrvtId" type="PersonIdentification5"/></pre>

complexType PartyIdentification32_1

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Nm Id
used by	elements GroupHeader32/InitgPty CreditTransferTransactionInformation10/UltmtCdtr CreditTransferTransactionInformation10/UltmtDbtr PaymentInstructionInformation3/UltmtDbtr
source	<pre><xs:complexType name="PartyIdentification32_1"> <xs:sequence> <xs:element name="Nm" type="Max70Text" minOccurs="0" maxOccurs="1"/> <xs:element name="Id" type="Party6Choice" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></pre>

element PartyIdentification32_1/Nm

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max70Text
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value minLength 1 maxLength 70 pattern \S+.*
source	<pre><xs:element name="Nm" type="Max70Text" minOccurs="0" maxOccurs="1"/></pre>

element PartyIdentification32_1/Id

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Party6Choice
properties	minOcc 0 maxOcc 1 content complex
children	OrgId PrvtId

source	<code><xs:element name="Id" type="Party6Choice" minOccurs="0" maxOccurs="1"/></code>
--------	--

complexType PartyIdentification32_2

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Nm PstAdr Id
used by	elements CreditTransferTransactionInformation10/Cdtr PaymentInstructionInformation3/Dbtr
source	<pre><xs:complexType name="PartyIdentification32_2"> <xs:sequence> <xs:element name="Nm" type="Max70Text" minOccurs="1" maxOccurs="1"/> <xs:element name="PstAdr" type="PostalAddress6" minOccurs="0" maxOccurs="1"/> <xs:element name="Id" type="Party6Choice" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></pre>

element PartyIdentification32_2/Nm


diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max70Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>70</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	70	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	70								
pattern	\S+.*								
source	<code><xs:element name="Nm" type="Max70Text" minOccurs="1" maxOccurs="1"/></code>								

element PartyIdentification32_2/PstAdr


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PostalAddress6

properties	minOcc 0 maxOcc 1 content complex
children	Ctry AdrLine
source	<code><xs:element name="PstlAdr" type="PostalAddress6" minOccurs="0" maxOccurs="1"/></code>


element PartyIdentification32_2/Id

diagram	 <p>The diagram shows a dashed box labeled 'Party6Choice' containing a choice element (circle with a plus sign) that branches into two child elements: 'OrgId' and 'PrvtId'. To the left of the choice element is an 'Id' element, which is also enclosed in a dashed box.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Party6Choice
properties	minOcc 0 maxOcc 1 content complex
children	OrgId PrvtId
source	<code><xs:element name="Id" type="Party6Choice" minOccurs="0" maxOccurs="1"/></code>

complexType PaymentIdentification1

diagram	 <p>The diagram shows a rounded rectangle labeled 'PaymentIdentification1' connected to a choice element (circle with a plus sign). This choice element branches into two child elements: 'InstrId' and 'EndToEndId'. Both child elements are enclosed in dashed boxes.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	InstrId EndToEndId
used by	element CreditTransferTransactionInformation10/PmtId
source	<pre> <xs:complexType name="PaymentIdentification1"> <xs:sequence> <xs:element name="InstrId" type="Max35Text_Id" minOccurs="0" maxOccurs="1"/> <xs:element name="EndToEndId" type="Max35Text"/> </xs:sequence> </xs:complexType> </pre>

element PaymentIdentification1/InstrId


diagram	 <p>The diagram shows a dashed box labeled 'InstrId'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max35Text_Id

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value pattern ([A-Za-z0-9] [\? \- :\(\) \.\!])\{1,35}
source	<xs:element name="InstrId" type="Max35Text_Id" minOccurs="0" maxOccurs="1"/>

element PaymentIdentification1/EndToEndId


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max35Text
properties	content simple
facets	Kind Value minLength 1 maxLength 35 pattern \S+.*
source	<xs:element name="EndToEndId" type="Max35Text"/>

complexType PaymentInstructionInformation3




namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	PmtInflId PmtMtd BtchBookg NbOfTxs CtrlSum PmtTpInf ReqdExctnDt Dbtr DbtrAcct DbtrAgt UltmtDbtr ChrgBr CdtTrfTxInf
used by	element CustomerCreditTransferInitiationV03/PmtInf
source	<pre> <xs:complexType name="PaymentInstructionInformation3"> <xs:sequence> <xs:element name="PmtInflId" type="Max35Text_Id"/> <xs:element name="PmtMtd" type="PaymentMethod3Code"/> <xs:element name="BtchBookg" type="BatchBookingIndicator" minOccurs="0" maxOccurs="1"/> <xs:element name="NbOfTxs" type="Max15NumericText" minOccurs="0" maxOccurs="1"/> <xs:element name="CtrlSum" type="DecimalNumber" minOccurs="0" maxOccurs="1"/> <xs:element name="PmtTpInf" type="PaymentTypeInformation19_1" minOccurs="0" maxOccurs="1"/> <xs:element name="ReqdExctnDt" type="ISODate"/> <xs:element name="Dbtr" type="PartyIdentification32_2"/> <xs:element name="DbtrAcct" type="CashAccount16_HR"/> <xs:element name="DbtrAgt" type="BranchAndFinancialInstitutionIdentification4_1"/> <xs:element name="UltmtDbtr" type="PartyIdentification32_1" minOccurs="0" maxOccurs="1"/> <xs:element name="ChrgBr" type="ChargeBearerType1Code" minOccurs="0" maxOccurs="1"/> <xs:element name="CdtTrfTxInf" type="CreditTransferTransactionInformation10" minOccurs="1" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </pre>


element [PaymentInstructionInformation3/PmtInflId](#)

diagram					
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	Max35Text_Id				
properties	content simple				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>([A-Za-z0-9] [\+ \? \- \: \(\) \.\]) {1,35}</td> </tr> </tbody> </table>	Kind	Value	pattern	([A-Za-z0-9] [\+ \? \- \: \(\) \.\]) {1,35}
Kind	Value				
pattern	([A-Za-z0-9] [\+ \? \- \: \(\) \.\]) {1,35}				
source	<pre><xs:element name="PmtInflId" type="Max35Text_Id"/></pre>				


element [PaymentInstructionInformation3/PmtMtd](#)

diagram							
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03						
type	PaymentMethod3Code						
properties	content simple						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>TRF</td> </tr> <tr> <td>enumeration</td> <td>CHK</td> </tr> </tbody> </table>	Kind	Value	enumeration	TRF	enumeration	CHK
Kind	Value						
enumeration	TRF						
enumeration	CHK						
source	<pre><xs:element name="PmtMtd" type="PaymentMethod3Code"/></pre>						


element **PaymentInstructionInformation3/BtchBookg**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	BatchBookingIndicator
properties	minOcc 0 maxOcc 1 content simple
source	<code><xs:element name="BtchBookg" type="BatchBookingIndicator" minOccurs="0" maxOccurs="1"/></code>

element **PaymentInstructionInformation3/NbOfTxS**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max15NumericText
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value pattern [0-9]{1,15}
source	<code><xs:element name="NbOfTxS" type="Max15NumericText" minOccurs="0" maxOccurs="1"/></code>

element **PaymentInstructionInformation3/CtrlSum**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	DecimalNumber
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value minInclusive 0.01 maxInclusive 9999999999999999.99 totalDigits 18 fractionDigits 2
source	<code><xs:element name="CtrlSum" type="DecimalNumber" minOccurs="0" maxOccurs="1"/></code>

element **PaymentInstructionInformation3/PmtTplnf**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PaymentTypeInformation19_1
properties	minOcc 0 maxOcc 1 content complex
children	InstrPrty SvcLvl LclInstrm CtgyPurp
source	<code><xs:element name="PmtTplnf" type="PaymentTypeInformation19_1" minOccurs="0" maxOccurs="1"/></code>

element **PaymentInstructionInformation3/ReqdExctnDt**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ISODate
properties	content simple
facets	Kind Value pattern [0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}
source	<code><xs:element name="ReqdExctnDt" type="ISODate"/></code>

element **PaymentInstructionInformation3/Dbtr**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PartyIdentification32_2
properties	content complex

children	Nm PstlAdr Id
source	<code><xs:element name="Dbtr" type="PartyIdentification32_2"/></code>

element PaymentInstructionInformation3/DbtrAcct

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CashAccount16_HR
properties	content complex
children	Id Ccy
source	<code><xs:element name="DbtrAcct" type="CashAccount16_HR"/></code>

element PaymentInstructionInformation3/DbtrAgt

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	BranchAndFinancialInstitutionIdentification4_1
properties	content complex
children	FinInstnId
source	<code><xs:element name="DbtrAgt" type="BranchAndFinancialInstitutionIdentification4_1"/></code>

element PaymentInstructionInformation3/UltmtDbtr

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	PartyIdentification32_1
properties	minOcc 0 maxOcc 1

	content complex
children	Nm Id
source	<code><xs:element name="UltmtDbtr" type="PartyIdentification32_1" minOccurs="0" maxOccurs="1"/></code>

element PaymentInstructionInformation3/ChrgBr

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ChargeBearerType1Code
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value enumeration DEBT enumeration CRED enumeration SHAR enumeration SLEV
source	<code><xs:element name="ChrgBr" type="ChargeBearerType1Code" minOccurs="0" maxOccurs="1"/></code>

element PaymentInstructionInformation3/CdtTrfTxInf

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CreditTransferTransactionInformation10

properties	minOcc 1 maxOcc unbounded content complex
children	PmtId PmtTpInf Amt ChrgBr UltmtDbtr CdrAg Cdr CdrAcct UltmtCdr Purp RmtInf
source	<code><xs:element name="CdtTrfTxInf" type="CreditTransferTransactionInformation10" minOccurs="1" maxOccurs="unbounded"/></code>


complexType **PaymentTypeInformation19_1**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	InstrPrty SvcLvl LclInstrm CtgPurp
used by	element PaymentInstructionInformation3/PmtTpInf
source	<pre> <xs:complexType name="PaymentTypeInformation19_1"> <xs:sequence> <xs:element name="InstrPrty" type="Priority2Code" minOccurs="0" maxOccurs="1"/> <xs:element name="SvcLvl" type="ServiceLevel8Choice" minOccurs="0" maxOccurs="1"/> <xs:element name="LclInstrm" type="LocalInstrument2Choice" minOccurs="0" maxOccurs="1"/> <xs:element name="CtgPurp" type="CategoryPurpose1Choice" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType> </pre>


element **PaymentTypeInformation19_1/InstrPrty**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Priority2Code
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value enumeration HIGH enumeration NORM
source	<code><xs:element name="InstrPrty" type="Priority2Code" minOccurs="0" maxOccurs="1"/></code>


element **PaymentTypeInfo19_1/SvcLvl**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ServiceLevel8Choice
properties	minOcc 0 maxOcc 1 content complex
children	Cd
source	<code><xs:element name="SvcLvl" type="ServiceLevel8Choice" minOccurs="0" maxOccurs="1"/></code>

element **PaymentTypeInfo19_1/LclInstrm**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	LocalInstrument2Choice
properties	minOcc 0 maxOcc 1 content complex
children	Cd Prtry
source	<code><xs:element name="LclInstrm" type="LocalInstrument2Choice" minOccurs="0" maxOccurs="1"/></code>

element **PaymentTypeInfo19_1/CtgyPurp**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CategoryPurpose1Choice
properties	minOcc 0 maxOcc 1 content complex
children	Cd
source	<code><xs:element name="CtgyPurp" type="CategoryPurpose1Choice" minOccurs="0" maxOccurs="1"/></code>

complexType **PaymentTypeInformation19_2**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	SvcLvl LclInstrm CtgPurp
used by	element CreditTransferTransactionInformation10/PmtTplnf
source	<pre> <xs:complexType name="PaymentTypeInformation19_2"> <xs:sequence> <xs:element name="SvcLvl" type="ServiceLevel8Choice" minOccurs="0" maxOccurs="1"/> <xs:element name="LclInstrm" type="LocalInstrument2Choice" minOccurs="0" maxOccurs="1"/> <xs:element name="CtgPurp" type="CategoryPurpose1Choice" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType> </pre>

element **PaymentTypeInformation19_2/SvcLvl**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ServiceLevel8Choice
properties	minOcc 0 maxOcc 1 content complex
children	Cd
source	<pre> <xs:element name="SvcLvl" type="ServiceLevel8Choice" minOccurs="0" maxOccurs="1"/> </pre>

element **PaymentTypeInformation19_2/LclInstrm**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	LocalInstrument2Choice
properties	minOcc 0 maxOcc 1

	content complex
children	Cd Prtry
source	<code><xs:element name="LclInstrm" type="LocalInstrument2Choice" minOccurs="0" maxOccurs="1"/></code>

element **PaymentTypeInformation19_2/CtgyPurp**

diagram	<p>The diagram shows a box labeled 'CtgyPurp' connected to a choice box (hexagon with a vertical line) containing a box labeled 'Cd'. The choice box is highlighted with a yellow background and labeled 'CategoryPurpose1Choice'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CategoryPurpose1Choice
properties	minOcc 0 maxOcc 1 content complex
children	Cd
source	<code><xs:element name="CtgyPurp" type="CategoryPurpose1Choice" minOccurs="0" maxOccurs="1"/></code>

complexType **PersonIdentification5**

diagram	<p>The diagram shows a box labeled 'PersonIdentification5' connected to a choice box (hexagon with a vertical line) containing two boxes: 'DtAndPlcOfBirth' and 'Othr'. Both child boxes are enclosed in dashed-line boxes with a plus sign icon.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	DtAndPlcOfBirth Othr
used by	element Party6Choice/PrvtId
source	<pre> <xs:complexType name="PersonIdentification5"> <xs:choice> <xs:element name="DtAndPlcOfBirth" type="DateAndPlaceOfBirth" minOccurs="0" maxOccurs="1"/> <xs:element name="Othr" type="GenericPersonIdentification1" minOccurs="0" maxOccurs="1"/> </xs:choice> </xs:complexType> </pre>

element **PersonIdentification5/DtAndPlcOfBirth**

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	DateAndPlaceOfBirth
properties	minOcc 0 maxOcc 1 content complex
children	BirthDt PrvcOfBirth CityOfBirth CtryOfBirth
source	<code><xs:element name="DtAndPlcOfBirth" type="DateAndPlaceOfBirth" minOccurs="0" maxOccurs="1"/></code>

element **PersonIdentification5/Othr**


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	GenericPersonIdentification1
properties	minOcc 0 maxOcc 1 content complex
children	Id SchmeNm Issr
source	<code><xs:element name="Othr" type="GenericPersonIdentification1" minOccurs="0" maxOccurs="1"/></code>

complexType **PersonIdentificationSchemeName1Choice**


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03

children	Cd Prtry
used by	element GenericPersonIdentification1/SchmeNm
source	<pre><xs:complexType name="PersonIdentificationSchemeName1Choice"> <xs:choice> <xs:element name="Cd" type="ExternalPersonIdentification1Code"/> <xs:element name="Prtry" type="Max35Text"/> </xs:choice> </xs:complexType></pre>


element [PersonIdentificationSchemeName1Choice/Cd](#)

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	ExternalPersonIdentification1Code								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	4								
pattern	\S+.*								
source	<pre><xs:element name="Cd" type="ExternalPersonIdentification1Code"/></pre>								

element [PersonIdentificationSchemeName1Choice/Prtry](#)


diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max35Text								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<pre><xs:element name="Prtry" type="Max35Text"/></pre>								

complexType [PostalAddress6](#)


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Ctry AdrLine
used by	elements FinancialInstitutionIdentification7_2/PstIAdr PartyIdentification32_2/PstIAdr

source	<pre><xs:complexType name="PostalAddress6"> <xs:sequence> <xs:element name="Ctry" type="CountryCode" minOccurs="0" maxOccurs="1"/> <xs:element name="AdrLine" type="Max70Text" minOccurs="0" maxOccurs="2"/> </xs:sequence> </xs:complexType></pre>
--------	---


element PostalAddress6/Ctry

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CountryCode
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value pattern [A-Z]{2,2}
source	<pre><xs:element name="Ctry" type="CountryCode" minOccurs="0" maxOccurs="1"/></pre>

element PostalAddress6/AdrLine


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max70Text
properties	minOcc 0 maxOcc 2 content simple
facets	Kind Value minLength 1 maxLength 70 pattern \S+.*
source	<pre><xs:element name="AdrLine" type="Max70Text" minOccurs="0" maxOccurs="2"/></pre>

complexType Purpose2Choice


diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Cd
used by	element CreditTransferTransactionInformation10/Purp
source	<pre><xs:complexType name="Purpose2Choice"> <xs:sequence> <xs:element name="Cd" type="ExternalPurpose1Code"/> </xs:sequence></pre>

	<code></xs:complexType></code>
--	--------------------------------------


element Purpose2Choice/Cd

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	ExternalPurpose1Code								
properties	content simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	4								
pattern	\S+.*								
source	<code><xs:element name="Cd" type="ExternalPurpose1Code"/></code>								

complexType RemittanceInformation5

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Ustrd Strd
used by	element CreditTransferTransactionInformation10/RmtInf
source	<code><xs:complexType name="RemittanceInformation5"> <xs:choice> <xs:element name="Ustrd" type="Max140Text" minOccurs="0" maxOccurs="1"/> <xs:element name="Strd" type="StructuredRemittanceInformation7" minOccurs="0" maxOccurs="1"/> </xs:choice> </xs:complexType></code>

element RemittanceInformation5/Ustrd

diagram									
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	Max140Text								
properties	<table border="1"> <tbody> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple		
minOcc	0								
maxOcc	1								
content	simple								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>140</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	140	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	140								
pattern	\S+.*								
source	<code><xs:element name="Ustrd" type="Max140Text" minOccurs="0" maxOccurs="1"/></code>								

element RemittanceInformation5/Strd

diagram	<p>The diagram shows a yellow box labeled 'StructuredRemittanceInformation7'. Inside this box, there is a dashed box labeled 'Strd' connected to a central octagonal connector. To the right of the connector are two dashed boxes: 'CdtrRefInf' with a plus sign and 'AddtlRmtInf'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	StructuredRemittanceInformation7
properties	minOcc 0 maxOcc 1 content complex
children	CdtrRefInf AddtlRmtInf
source	<pre><xs:element name="Strd" type="StructuredRemittanceInformation7" minOccurs="0" maxOccurs="1"/></pre>

complexType ServiceLevel8Choice

diagram	<p>The diagram shows a rounded rectangle labeled 'ServiceLevel8Choice' connected to a central octagonal connector, which is then connected to a dashed box labeled 'Cd'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	Cd
used by	elements PaymentTypeInformation19_1/SvcLv PaymentTypeInformation19_2/SvcLv
source	<pre><xs:complexType name="ServiceLevel8Choice"> <xs:sequence> <xs:element name="Cd" type="ExternalServiceLevel1Code" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></pre>

element ServiceLevel8Choice/Cd

diagram	<p>The diagram shows a dashed box labeled 'Cd'.</p>
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	ExternalServiceLevel1Code
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value minLength 1 maxLength 4
source	<pre><xs:element name="Cd" type="ExternalServiceLevel1Code" minOccurs="0" maxOccurs="1"/></pre>

complexType StructuredRemittanceInformation7

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
children	CdtrRefInf AddtlRmtInf
used by	element RemittanceInformation5/Strd
source	<pre><xs:complexType name="StructuredRemittanceInformation7"> <xs:sequence> <xs:element name="CdtrRefInf" type="CreditorReferenceInformation2" minOccurs="0" maxOccurs="1"/> <xs:element name="AddtlRmtInf" type="Max140Text" minOccurs="0" maxOccurs="1"/> </xs:sequence> </xs:complexType></pre>

element StructuredRemittanceInformation7/CdtrRefInf

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	CreditorReferenceInformation2
properties	minOcc 0 maxOcc 1 content complex
children	Tp Ref
source	<pre><xs:element name="CdtrRefInf" type="CreditorReferenceInformation2" minOccurs="0" maxOccurs="1"/></pre>

element StructuredRemittanceInformation7/AddtlRmtInf

diagram	
namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	Max140Text
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value minLength 1 maxLength 140 pattern \S+.*
source	<pre><xs:element name="AddtlRmtInf" type="Max140Text" minOccurs="0" maxOccurs="1"/></pre>

simpleType ActiveOrHistoricCurrencyAndAmount_SimpleType

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03										
type	restriction of xs:decimal										
properties	base xs:decimal										
used by	complexType ActiveOrHistoricCurrencyAndAmount										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.01</td> </tr> <tr> <td>maxInclusive</td> <td>999999999999.99</td> </tr> <tr> <td>totalDigits</td> <td>14</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0.01	maxInclusive	999999999999.99	totalDigits	14	fractionDigits	2
Kind	Value										
minInclusive	0.01										
maxInclusive	999999999999.99										
totalDigits	14										
fractionDigits	2										
source	<pre><xs:simpleType name="ActiveOrHistoricCurrencyAndAmount_SimpleType"> <xs:restriction base="xs:decimal"> <xs:minInclusive value="0.01"/> <xs:maxInclusive value="999999999999.99"/> <xs:fractionDigits value="2"/> <xs:totalDigits value="14"/> </xs:restriction> </xs:simpleType></pre>										

simpleType ActiveOrHistoricCurrencyCode

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	element CashAccount16_HR/Ccy attribute ActiveOrHistoricCurrencyAndAmount/@Ccy				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[A-Z]{3,3}</td> </tr> </tbody> </table>	Kind	Value	pattern	[A-Z]{3,3}
Kind	Value				
pattern	[A-Z]{3,3}				
source	<pre><xs:simpleType name="ActiveOrHistoricCurrencyCode"> <xs:restriction base="xs:string"> <xs:pattern value="[A-Z]{3,3}"/> </xs:restriction> </xs:simpleType></pre>				

simpleType AnyBICIdentifier

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	element OrganisationIdentification4/BICOrBEI				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}</td> </tr> </tbody> </table>	Kind	Value	pattern	[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}
Kind	Value				
pattern	[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}				
source	<pre><xs:simpleType name="AnyBICIdentifier"> <xs:restriction base="xs:string"> <xs:pattern value="[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}"/> </xs:restriction> </xs:simpleType></pre>				

simpleType BatchBookingIndicator

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	xs:boolean
properties	base xs:boolean
used by	element PaymentInstructionInformation3/BtchBookg
source	<pre><xs:simpleType name="BatchBookingIndicator"> <xs:restriction base="xs:boolean"/> </xs:simpleType></pre>

simpleType BICIdentifier

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	elements FinancialInstitutionIdentification7_1/BIC FinancialInstitutionIdentification7_2/BIC				
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>pattern</td> <td>[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}</td> </tr> </table>	Kind	Value	pattern	[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}
Kind	Value				
pattern	[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}				
source	<pre><xs:simpleType name="BICIdentifier"> <xs:restriction base="xs:string"> <xs:pattern value="[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}"/> </xs:restriction> </xs:simpleType></pre>				

simpleType ChargeBearerType1Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03										
type	restriction of xs:string										
properties	base xs:string										
used by	elements CreditTransferTransactionInformation10/ChrgBr PaymentInstructionInformation3/ChrgBr										
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> </tr> <tr> <td>enumeration</td> <td>DEBT</td> </tr> <tr> <td>enumeration</td> <td>CRED</td> </tr> <tr> <td>enumeration</td> <td>SHAR</td> </tr> <tr> <td>enumeration</td> <td>SLEV</td> </tr> </table>	Kind	Value	enumeration	DEBT	enumeration	CRED	enumeration	SHAR	enumeration	SLEV
Kind	Value										
enumeration	DEBT										
enumeration	CRED										
enumeration	SHAR										
enumeration	SLEV										
source	<pre><xs:simpleType name="ChargeBearerType1Code"> <xs:restriction base="xs:string"> <xs:enumeration value="DEBT"/> <xs:enumeration value="CRED"/> <xs:enumeration value="SHAR"/> <xs:enumeration value="SLEV"/> </xs:restriction> </xs:simpleType></pre>										

simpleType CountryCode

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	elements PostalAddress6/Ctry DateAndPlaceOfBirth/CtryOfBirth				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[A-Z]{2,2}</td> </tr> </tbody> </table>	Kind	Value	pattern	[A-Z]{2,2}
Kind	Value				
pattern	[A-Z]{2,2}				
source	<pre><xs:simpleType name="CountryCode"> <xs:restriction base="xs:string"> <xs:pattern value="[A-Z]{2,2}"/> </xs:restriction> </xs:simpleType></pre>				

simpleType DecimalNumber

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03										
type	restriction of xs:decimal										
properties	base xs:decimal										
used by	elements GroupHeader32/CtrlSum PaymentInstructionInformation3/CtrlSum										
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.01</td> </tr> <tr> <td>maxInclusive</td> <td>9999999999999999.99</td> </tr> <tr> <td>totalDigits</td> <td>18</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> </tbody> </table>	Kind	Value	minInclusive	0.01	maxInclusive	9999999999999999.99	totalDigits	18	fractionDigits	2
Kind	Value										
minInclusive	0.01										
maxInclusive	9999999999999999.99										
totalDigits	18										
fractionDigits	2										
source	<pre><xs:simpleType name="DecimalNumber"> <xs:restriction base="xs:decimal"> <xs:fractionDigits value="2"/> <xs:totalDigits value="18"/> <xs:minInclusive value="0.01"/> <xs:maxInclusive value="9999999999999999.99"/> </xs:restriction> </xs:simpleType></pre>										

simpleType DocumentType3Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	element CreditorReferenceType1Choice/Cd				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>SCOR</td> </tr> </tbody> </table>	Kind	Value	enumeration	SCOR
Kind	Value				
enumeration	SCOR				
source	<pre><xs:simpleType name="DocumentType3Code"> <xs:restriction base="xs:string"> <xs:enumeration value="SCOR"/> </xs:restriction> </xs:simpleType></pre>				

simpleType ExternalCategoryPurpose1Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	element CategoryPurpose1Choice/Cd								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	4								
pattern	\S+.*								
source	<pre><xs:simpleType name="ExternalCategoryPurpose1Code"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="4"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType></pre>								

simpleType ExternalLocalInstrument1Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03						
type	restriction of xs:string						
properties	base xs:string						
used by	element LocalInstrument2Choice/Cd						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35
Kind	Value						
minLength	1						
maxLength	35						
source	<pre><xs:simpleType name="ExternalLocalInstrument1Code"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="35"/> </xs:restriction> </xs:simpleType></pre>						

simpleType ExternalOrganisationIdentification1Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	element OrganisationIdentificationSchemeName1Choice/Cd								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	4								
pattern	\S+.*								
source	<pre><xs:simpleType name="ExternalOrganisationIdentification1Code"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="4"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType></pre>								

	<code></xs:simpleType></code>
--	-------------------------------------

simpleType ExternalPersonIdentification1Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	element PersonIdentificationSchemeName1Choice/Cd								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	4								
pattern	\S+.*								
source	<pre><xs:simpleType name="ExternalPersonIdentification1Code"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="4"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType></pre>								

simpleType ExternalPurpose1Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	element Purpose2Choice/Cd								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	4								
pattern	\S+.*								
source	<pre><xs:simpleType name="ExternalPurpose1Code"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="4"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType></pre>								

simpleType ExternalServiceLevel1Code

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03						
type	restriction of xs:string						
properties	base xs:string						
used by	element ServiceLevel8Choice/Cd						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>4</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	4
Kind	Value						
minLength	1						
maxLength	4						
source	<pre><xs:simpleType name="ExternalServiceLevel1Code"></pre>						

	<pre> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="4"/> </xs:restriction> </xs:simpleType> </pre>
--	---

simpleType IBAN2007Identifier

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	element AccountIdentification4Choice_2/IBAN				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}</td> </tr> </tbody> </table>	Kind	Value	pattern	[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}
Kind	Value				
pattern	[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}				
source	<pre> <xs:simpleType name="IBAN2007Identifier"> <xs:restriction base="xs:string"> <xs:pattern value="[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}"/> </xs:restriction> </xs:simpleType> </pre>				

simpleType IBAN2007Identifier_HR

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	element AccountIdentification4Choice_HR/IBAN				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[H][R][0-9]{19}</td> </tr> </tbody> </table>	Kind	Value	pattern	[H][R][0-9]{19}
Kind	Value				
pattern	[H][R][0-9]{19}				
source	<pre> <xs:simpleType name="IBAN2007Identifier_HR"> <xs:restriction base="xs:string"> <xs:pattern value="[H][R][0-9]{19}"/> </xs:restriction> </xs:simpleType> </pre>				

simpleType ISODate

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:date				
properties	base xs:date				
used by	elements DateAndPlaceOfBirth/BirthDt PaymentInstructionInformation3/ReqdExctnDt				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}</td> </tr> </tbody> </table>	Kind	Value	pattern	[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}
Kind	Value				
pattern	[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}				
source	<pre> <xs:simpleType name="ISODate"> <xs:restriction base="xs:date"> <xs:pattern value="[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}"/> </xs:restriction> </xs:simpleType> </pre>				

simpleType ISODateTime

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	restriction of xs:dateTime
properties	base xs:dateTime
used by	element GroupHeader32/CreDtTm
facets	Kind Value pattern [0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}[T][0-9]{2,2}:[0-9]{2,2}:[0-9]{2,2}[\S]*
source	<pre><xs:simpleType name="ISODateTime"> <xs:restriction base="xs:dateTime"> <xs:pattern value="[0-9]{4,4}\-[0-9]{2,2}\-[0-9]{2,2}[T][0-9]{2,2}:[0-9]{2,2}:[0-9]{2,2}[\S]*"/> </xs:restriction> </xs:simpleType></pre>

simpleType Max140Text

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	restriction of xs:string
properties	base xs:string
used by	elements StructuredRemittanceInformation7/AddtlRmtInf FinancialInstitutionIdentification7 2/Nm RemittanceInformation5/Ustrd
facets	Kind Value minLength 1 maxLength 140 pattern \S+.*
source	<pre><xs:simpleType name="Max140Text"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="140"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType></pre>

simpleType Max15NumericText

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03
type	restriction of xs:string
properties	base xs:string
used by	elements GroupHeader32/NbOfTx PaymentInstructionInformation3/NbOfTx
facets	Kind Value pattern [0-9]{1,15}
source	<pre><xs:simpleType name="Max15NumericText"> <xs:restriction base="xs:string"> <xs:pattern value="[0-9]{1,15}"/> </xs:restriction> </xs:simpleType></pre>

simpleType Max34Text

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	element GenericAccountIdentification1/Id								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>34</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	34	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	34								
pattern	\S+.*								
source	<pre><xs:simpleType name="Max34Text"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="34"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType></pre>								

simpleType Max35Text

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	elements DateAndPlaceOfBirth/CityOfBirth PaymentIdentification1/EndToEndId GenericOrganisationIdentification1/Id GenericPersonIdentification1/Id CreditorReferenceType2/Issr GenericOrganisationIdentification1/Issr GenericPersonIdentification1/Issr ClearingSystemMemberIdentification2/Mmbld LocalInstrument2Choice/Prtry OrganisationIdentificationSchemeName1Choice/Prtry PersonIdentificationSchemeName1Choice/Prtry DateAndPlaceOfBirth/PrvcOfBirth CreditorReferenceInformation2/Ref								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	35								
pattern	\S+.*								
source	<pre><xs:simpleType name="Max35Text"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="35"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType></pre>								

simpleType Max35Text_Id

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	elements PaymentIdentification1/InstrId GroupHeader32/MsgId PaymentInstructionInformation3/PmtInflId				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>([A-Za-z0-9] [\+ \? \- \: \(\) \.\: \.])\{1,35}</td> </tr> </tbody> </table>	Kind	Value	pattern	([A-Za-z0-9] [\+ \? \- \: \(\) \.\: \.])\{1,35}
Kind	Value				
pattern	([A-Za-z0-9] [\+ \? \- \: \(\) \.\: \.])\{1,35}				
source	<pre><xs:simpleType name="Max35Text_Id"></pre>				

	<pre> <xs:restriction base="xs:string"> <xs:pattern value="([A-Za-z0-9] [\? \- :\(\)\ \.\, ']){1,35}"/> </xs:restriction> </xs:simpleType> </pre>
--	--

simpleType **Max35Text_NP**

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	element GenericFinancialIdentification1/Id								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>35</td> </tr> <tr> <td>enumeration</td> <td>NOTPROVIDED</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	35	enumeration	NOTPROVIDED
Kind	Value								
minLength	1								
maxLength	35								
enumeration	NOTPROVIDED								
source	<pre> <xs:simpleType name="Max35Text_NP"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="35"/> <xs:enumeration value="NOTPROVIDED"/> </xs:restriction> </xs:simpleType> </pre>								

simpleType **Max70Text**

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03								
type	restriction of xs:string								
properties	base xs:string								
used by	elements PostalAddress6/AdrLine PartyIdentification32_2/Nm PartyIdentification32_1/Nm								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> </tr> <tr> <td>maxLength</td> <td>70</td> </tr> <tr> <td>pattern</td> <td>\S+.*</td> </tr> </tbody> </table>	Kind	Value	minLength	1	maxLength	70	pattern	\S+.*
Kind	Value								
minLength	1								
maxLength	70								
pattern	\S+.*								
source	<pre> <xs:simpleType name="Max70Text"> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="70"/> <xs:pattern value="\S+.*"/> </xs:restriction> </xs:simpleType> </pre>								

simpleType **PaymentMethod3Code**

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03				
type	restriction of xs:string				
properties	base xs:string				
used by	element PaymentInstructionInformation3/PmtMtd				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>TRF</td> </tr> </tbody> </table>	Kind	Value	enumeration	TRF
Kind	Value				
enumeration	TRF				

	enumeration CHK
source	<pre> <xs:simpleType name="PaymentMethod3Code"> <xs:restriction base="xs:string"> <xs:enumeration value="TRF"/> <xs:enumeration value="CHK"/> </xs:restriction> </xs:simpleType> </pre>

simpleType **Priority2Code**

namespace	urn:iso:std:iso:20022:tech:xsd:scthr:pain.001.001.03						
type	restriction of xs:string						
properties	base xs:string						
used by	element PaymentTypeInformation19 1/InstrPrty						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>HIGH</td> </tr> <tr> <td>enumeration</td> <td>NORM</td> </tr> </tbody> </table>	Kind	Value	enumeration	HIGH	enumeration	NORM
Kind	Value						
enumeration	HIGH						
enumeration	NORM						
source	<pre> <xs:simpleType name="Priority2Code"> <xs:restriction base="xs:string"> <xs:enumeration value="HIGH"/> <xs:enumeration value="NORM"/> </xs:restriction> </xs:simpleType> </pre>						